

SUNNYSIDE QUALITY PRODUCTS SINCE 1893

Safety Note: Lacquers and epoxies give off flammable vapors during drying. Always follow the coating manufacturer's directions and warnings, and be aware of the increased fire hazard when coating larger areas. If ventilation equipment is used, it must be explosion proof. If lacquer thinner is used for any other purpose, limit flammable vapors by using only a few ounces at a time. Wait until all vapors are gone between uses. Read all cautions on this label prior to using.

Directions: Follow coating manufacturer's instructions for thinning, using only recommended amounts. Do not use more than recommended, usually starting with a ratio of 4 ounces per gallon.



For additional product information, visit www.sunnysidecorp.com/lacquerthinner

SUNNYSIDE CORPORATION
Consumer Products Division
Wheeling, IL 60090-6095

For more information contact us at 1-800-323-8611 or visit us online at www.sunnysidecorp.com.

© 2/2016 S.C.



sunnyside

Lacquer Thinner

Diluyente de laca

**Thins Lacquers and Epoxies
Cleans Tools and Equipment
Professional Strength
Medium-Fast Drying**

! DANGER! ☠ POISON! EXTREMELY FLAMMABLE LIQUID & VAPOR. VAPORS MAY CAUSE FLASH FIRE. MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. VAPOR HARMFUL. SKIN & EYE IRRITANT.

Carefully read and follow all cautions elsewhere on this container. Use only as directed.

! PELIGRO! ☠ VENENO! LÍQUIDO Y VAPOR EXTREMADAMENTE INFLAMABLES. LOS VAPORES PUEDEN PROVOCAR EXPLOSIONES INSTANTÁNEAS. PUEDE SER FATAL O CAUSAR CIEGUERA SI SE INGIERE. LOS VAPORES SON NOCIVOS. IRRITA LOS OJOS Y LA PIEL.

Lea atentamente y siga las advertencias que se incluyen en este envase. Use solamente como se indica.

16 FL. OZ. (1 PT.) ■ .473 LITER

Nota de Seguridad: Las lacas y resinas epóxicas despiden vapores inflamables durante el secado. Siga las instrucciones y advertencias del fabricante del revestimiento y tenga cuidado con los riesgos de incendio al recubrir áreas extensas. Si se utiliza equipo de ventilación, debe ser a prueba de explosión. Si se usa diluyente de laca para cualquier otro propósito, limite los vapores inflamables usando sólo unas pocas onzas por vez. Espere hasta que se disipen los vapores antes de volver a usar. Lea todas las precauciones de esta etiqueta antes de usar.

Instrucciones: Siga las instrucciones del fabricante del revestimiento para diluirlo, y use únicamente las cantidades recomendadas. No use más de lo que se recomienda; normalmente comience con una proporción de 4 onzas por galón.



45716



CAUTIONS: CONTAINS METHYL ALCOHOL, TOLUENE, ACETONE, ETHYL ACETATE, XYLENE, METHYL ETHYL KETONE, ETHYL BENZENE, AND PETROLEUM DISTILLATES. Cannot be made non-poisonous. Keep away from heat, sparks and flame. Vapors are given off rapidly during use and may ignite explosively. Vapors are heavier than air and may travel long distances to other rooms or lower areas. DO NOT use in confined areas such as basements or bathrooms. Open all doors and windows to provide plenty of fresh air cross ventilation equal to outdoor conditions. DO NOT smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may linger for 30 minutes or more after use. If you smell Sunnyside Lacquer Thinner, vapors are still present. Do not turn ignition sources on or relight pilot lights until certain that all vapors are gone. Avoid rubbing; friction may cause static electric sparks which may ignite vapors. Do not attempt to start or re-ignite charcoal, wood or any other fire with this product. An explosive fire may result or fire may flash back into the can and explode. Due to fire hazard, do not apply to floors or other large areas. For disposal guidance of unused product, contact a household hazardous waste program, or your local or state government environmental control agency. Do not transfer to unlabeled containers. Harmful to plastic or other synthetic materials.

Health Hazards: Vapor harmful. May affect the brain or nervous system causing dizziness, headache or nausea. Causes eye, skin, nose and throat irritation. Avoid breathing vapor or spray mist. If you experience eye watering, headaches, dizziness or have difficulty breathing, increase fresh air or wear respiratory protection (NIOSH approved) or leave the area to obtain fresh air. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. May be harmful if absorbed through the skin.

WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM.

First Aid: If swallowed, DO NOT induce vomiting. GET IMMEDIATE MEDICAL ATTENTION! Call physician or hospital emergency room or poison control center immediately. In case of eye contact, flush thoroughly with water for at least 15 minutes. Get medical attention. For skin contact, wash thoroughly for at least 15 minutes. Get medical attention if irritation persists. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical attention.

Use only with adequate ventilation. KEEP OUT OF REACH OF CHILDREN.

ADVERTENCIAS: CONTIENE ALCOHOL METÍLICO, TOLUENO, ACETONA, ACETATO DE ETILO, XILENO, METILELACETONA, ETILBENCENO Y DESTILADOS DEL PETRÓLEO. No es posible convertirlo en no tóxico. Mantenga alejado del calor, chispas y llama. Los vapores son despididos rápidamente durante el uso y pueden encenderse causando explosión. Los vapores son más pesados que el aire y pueden trasladarse hasta otras habitaciones o áreas más bajas. NO use en áreas cerradas como sótanos o baños. Abra todas las puertas y ventanas para que haya abundante ventilación cruzada de aire fresco, similar a las condiciones exteriores. NO fume. Extinga todas las llamas y lámparas piloto y apague las cocinas, estufas, motores eléctricos y otras fuentes de ignición durante el uso y hasta que se disipen los vapores del producto. Los vapores pueden persistir durante 30 minutos o más después de su uso. Si huele Diluyente De Laca, todavía hay vapores. No encienda fuentes de ignición ni vuelva a encender luces piloto hasta no estar seguro de que todos los vapores se hayan ido. Evite el tratamiento; la fricción puede causar chispas electrostáticas que pueden encender los vapores. No intente encender o reencender carbón, leña o ningún otro fuego con este producto. Puede producir un incendio explosivo o la llama puede retroceder a la lata y explotar. Debido al riesgo de incendio, no aplique en suelos ni en otras áreas extensas. Para solicitar orientación sobre la eliminación del producto no usado, contáctese con un programa de residuos domésticos peligrosos o una agencia gubernamental de control del medio ambiente estatal. No transfiera a recipientes sin etiquetas. Nocivo para plástico u otros materiales sintéticos.

Peligros sanitarios: Vapor nocivo. Puede afectar el cerebro o el sistema nervioso causando mareos, dolor de cabeza o náuseas. Causa irritación de ojos, piel, nariz y garganta. Evite inhalar el vapor o la niebla del rociado. Si experimenta lagrimeo en los ojos, dolores de cabeza, mareos o tiene dificultad para respirar, aumente la corriente de aire fresco, use protección respiratoria (Homologado NIOSH) o abandone el área para obtener aire fresco. Los informes asocian la sobreexposición laboral prolongada y continua a los disolventes con daños permanentes del cerebro y del sistema nervioso. El uso indebido intencional mediante la concentración deliberada y la inhalación del contenido puede ser nocivo y causar la muerte. Puede ser peligroso si se absorbe por la piel.

ADVERTENCIA: ESTE PRODUCTO CONTIENE QUÍMICOS QUE DE ACUERDO CON EL ESTADO DE CALIFORNIA PUEDEN CAUSAR CÁNCER Y DEFECTOS DE NACIMIENTO U OTRO DAÑO REPRODUCTIVO.

Primeros auxilios: Si se traga, NO induzca el vómito. ¡OBTENGA ATENCIÓN MÉDICA INMEDIATA! Llame a un médico, a la sala de urgencia de un hospital o a un centro de toxicología inmediatamente. En caso de contacto con los ojos, lave inmediatamente con abundante agua durante al menos 15 minutos. Obtenga atención médica. En caso de contacto con la piel, lave completamente durante al menos 15 minutos. Obtenga atención médica si persiste la irritación. Si experimenta dificultades para respirar, abandone el área para tomar aire fresco. Si la dificultad persiste, obtenga atención médica.

Use sólo con una ventilación adecuada. MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS.